



# Technical Data Sheet

## REMA TIP TOP SV BLUE (Cushion) GUM

TDS #: RTTNA – 025

Rev. # 1

Rev. Date: 4/09/2009

---

**PART NUMBERS:** 5570, 5571

<b>CONTAINERS/PACKAGING:</b>	<u>Part #</u>	<u>Box Qty.</u>
	5570	11 Lbs.
	5571	4.5 Lbs.

**FIELD OF APPLICATION:** Rema Tip Top SV BLUE GUM is for the chemical laminating “floating” of Rema Tip Reinforced Repair Units, primarily in OTR tires.

**PRODUCT ADVANTAGES:** Uses the Rema Blue Bonding System to assure optimum bond between the tire and repair unit. Compounded for use in either Chemical (Cold) or Hot vulcanization systems.

**INSTRUCTIONS FOR USE:** Refer to the Rema Tip Top OTR Repair Manual for detailed instructions for use and application.

**SAFETY INSTRUCTIONS:** Do **NOT** the following products in conjunction with the RTT SV Blue Gum: RTT Cold Vulcanizing Fluid, HR Solution, Thermopress Heating Solution, and MTR Solution. Use only in conjunction with RTT Special Blue Cement, RTT Special Flammable Blue Cement, or RTT OTR Special Blue Cement. Always wear appropriate safety eyewear when repairing tires. Use good personal hygiene practices when handling any tire repair materials.

**SHELF LIFE:** Two (2) years

**RECOMMENDED STORAGE CONDITIONS:** Store in a cool, dry place away from direct sunlight. Always store in a clean environment to avoid contamination from oil, grease, dirt, or other contaminants.

**WAIT TIME for RETURNING TIRE TO SERVICE:** For cold vulcanization of repairs, 24 hours at a minimum temperature of 64° F (18° C) is recommended. For hot vulcanization of repairs, allow the repaired area to cool to ambient temperature.



# Technical Data Sheet

## REMA TIP TOP SV BLUE (Cushion) GUM

TDS #: RTTNA – 025

Rev. # 1

Rev. Date: 4/09/2009

---

### ADDITIONAL INFO:

If product has been stored at a temperature below freezing (32° F or 0° C) it can be used after heating for a short period of time at a temperature not to exceed 122° F (50° C).

**NOTICE:** REMA TIP TOP / NORTH AMERICA believes that the information contained on this data sheet is accurate. It is based on extensive tests and represents standard values. However, it may not contain information on all confirmed properties. REMA TIP TOP / North America reserves the right to carry out improvements and technical development to this product at its discretion. For detailed application instructions, always refer to the appropriate Rema Tip Top Instruction Manuals and/or Repair Instruction CD's. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive, nor fully adequate in every circumstance. Also, the suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements.

**NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.**