



// ONE BRAND // ONE SOURCE // ONE SYSTEM

# PrecisionBalance™ // Application Chart Per Tire / Light Truck Tires

LIGHT TRUCK			
TIRE SIZE		1/2 TON	1 TON+
215/75	R14	3 oz.	4 oz.
205/70	R14	3 oz.	4 oz.
215/70	R14	3 oz.	4 oz.
700	R15		4 oz.
7.5	R15		6 oz.
8.25	R15		6 oz.
9	R15		8 oz.
10	R15		8 oz.
215/80	R15	3 oz.	4 oz.
195/75	R15	3 oz.	4 oz.
205/75	R15	3 oz.	4 oz.
215/75	R15	3 oz.	4 oz.
225/75	R15	4 oz.	4 oz.
235/75	R15	4 oz.	4 oz.
245/75	R15	3 oz.	4 oz.
255/75	R15	3 oz.	4 oz.
265/75	R15	3 oz.	4 oz.
235/70	R15	3 oz.	4 oz.
245/70	R15	3 oz.	4 oz.
255/70	R15	3 oz.	4 oz.
265/70	R15	4 oz.	4 oz.
285/70	R15	4 oz.	4 oz.
315/70	R15	4 oz.	5 oz.
245/65	R15	3 oz.	4 oz.
225/60	R15	3 oz.	4 oz.
325/60	R15	4 oz.	5 oz.
185/70	R15.5	3 oz.	4 oz.
6.50	R16		4 oz.
7.50	R16		4 oz.
8.25	R16		6 oz.
11	R16		8 oz.
215/85	R16	3 oz.	4 oz.
225/85	R16	3 oz.	4 oz.
235/85	R16	3 oz.	4 oz.
245/85	R16	3 oz.	4 oz.
255/85	R16	4 oz.	5 oz.
265/85	R16	4 oz.	5 oz.
275/85	R16	4 oz.	5 oz.
205/80	R16	3 oz.	4 oz.
325/80	R16	4 oz.	6 oz.
175/75	R16	3 oz.	4 oz.
195/75	R16	3 oz.	4 oz.
225/75	R16	3 oz.	4 oz.
235/75	R16	3 oz.	4 oz.
245/75	R16	3 oz.	4 oz.
265/75	R16	4 oz.	6 oz.
285/75	R16	4 oz.	6 oz.
295/75	R16	4 oz.	6 oz.
315/75	R16	4 oz.	6 oz.
215/70	R16	3 oz.	4 oz.
225/70	R16	3 oz.	4 oz.
235/70	R16	3 oz.	4 oz.
245/70	R16	3 oz.	4 oz.
255/70	R16	3 oz.	4 oz.
265/70	R16	3 oz.	4 oz.
275/70	R16	3 oz.	4 oz.
305/70	R16	3 oz.	4 oz.
315/70	R16	4 oz.	6 oz.
355/70	R16	5 oz.	6 oz.
365/70	R16	5 oz.	6 oz.
395/70	R16	5 oz.	6 oz.
195/65	R16	3 oz.	4 oz.
215/65	R16	3 oz.	4 oz.
225/65	R16	3 oz.	4 oz.

LIGHT TRUCK			
TIRE SIZE		1/2 TON	1 TON+
245/65	R16	3 oz.	4 oz.
255/65	R16	3 oz.	4 oz.
305/65	R16	3 oz.	4 oz.
345/65	R16	5 oz.	6 oz.
375/65	R16	5 oz.	6 oz.
215/60	R16	3 oz.	4 oz.
225/60	R16	3 oz.	4 oz.
235/60	R16	3 oz.	4 oz.
285/60	R16	3 oz.	4 oz.
255/55	R16	3 oz.	4 oz.
315/55	R16	3 oz.	4 oz.
345/55	R16	3 oz.	5 oz.
355/55	R16	3 oz.	5 oz.
375/55	R16	4 oz.	6 oz.
245/50	R16	3 oz.	4 oz.
8	R16.5	5 oz.	5 oz.
8.75	R16.5	6 oz.	6 oz.
9.5	R16.5	6 oz.	6 oz.
10	R16.5	6 oz.	6 oz.
12	R16.5	8 oz.	8 oz.
235/80	R17	6 oz.	6 oz.
235/75	R17	6 oz.	6 oz.
245/75	R17	6 oz.	6 oz.
255/75	R17	6 oz.	6 oz.
285/75	R17	6 oz.	8 oz.
245/70	R17	4 oz.	6 oz.
255/70	R17	4 oz.	6 oz.
265/70	R17	6 oz.	6 oz.
275/70	R17	6 oz.	6 oz.
285/70	R17	6 oz.	6 oz.
305/70	R17	6 oz.	8 oz.
315/70	R17	6 oz.	8 oz.
355/70	R17	6 oz.	8 oz.
225/65	R17	3 oz.	4 oz.
235/65	R17	3 oz.	4 oz.
245/65	R17	3 oz.	4 oz.
255/65	R17	3 oz.	5 oz.
265/65	R17	4 oz.	6 oz.
305/65	R17	4 oz.	6 oz.
375/65	R17	6 oz.	8 oz.
225/60	R17	3 oz.	4 oz.
235/60	R17	3 oz.	4 oz.
255/60	R17	4 oz.	6 oz.
275/60	R17	4 oz.	6 oz.
285/60	R17	4 oz.	6 oz.
225/55	R17	3 oz.	4 oz.
255/55	R17	3 oz.	4 oz.
275/55	R17	3 oz.	5 oz.
345/55	R17	3 oz.	5 oz.
255/50	R17	3 oz.	4 oz.
8	R17.5	5 oz.	5 oz.
8.5	R17.5	6 oz.	6 oz.
9	R17.5	6 oz.	6 oz.
9.5	R17.5	8 oz.	8 oz.
10	R17.5	8 oz.	8 oz.
11	R17.5	8 oz.	8 oz.
225/90	R17.5	8 oz.	8 oz.
205/80	R17.5	8 oz.	8 oz.
225/80	R17.5	8 oz.	8 oz.
205/75	R17.5	6 oz.	6 oz.
215/75	R17.5	6 oz.	6 oz.
225/75	R17.5	6 oz.	6 oz.
235/75	R17.5	6 oz.	6 oz.
245/75	R17.5	6 oz.	6 oz.

LIGHT TRUCK			
TIRE SIZE		1/2 TON	1 TON+
195/70	R17.5	6 oz.	6 oz.
215/70	R17.5	6 oz.	6 oz.
235/70	R17.5	6 oz.	6 oz.
195/60	R17.5	6 oz.	6 oz.
205/60	R17.5	6 oz.	6 oz.
225/60	R17.5	6 oz.	6 oz.
7.5	R18	8 oz.	8 oz.
225/70	R18	3 oz.	5 oz.
265/70	R18	3 oz.	5 oz.
275/70	R18	4 oz.	6 oz.
275/65	R18	4 oz.	6 oz.
285/65	R18	4 oz.	6 oz.
325/65	R18	4 oz.	6 oz.
355/65	R18	4 oz.	6 oz.
395/65	R18	6 oz.	8 oz.
245/60	R18	3 oz.	4 oz.
255/60	R18	3 oz.	5 oz.
265/60	R18	3 oz.	5 oz.
275/60	R18	4 oz.	6 oz.
285/60	R18	4 oz.	6 oz.
325/60	R18	4 oz.	6 oz.
375/60	R18	6 oz.	8 oz.
395/60	R18	6 oz.	8 oz.
255/55	R18	3 oz.	4 oz.
275/55	R18	3 oz.	4 oz.
285/55	R18	3 oz.	4 oz.
285/50	R18	3 oz.	4 oz.
375/50	R18	4 oz.	6 oz.
255/55	R19	3 oz.	4 oz.
255/50	R19	3 oz.	4 oz.
275/45	R19	3 oz.	4 oz.
285/45	R19	3 oz.	4 oz.
325/75	R20	6 oz.	8 oz.
275/65	R20	4 oz.	6 oz.
275/60	R20	4 oz.	6 oz.
325/60	R20	4 oz.	6 oz.
355/60	R20	5 oz.	6 oz.
275/55	R20	3 oz.	4 oz.
285/55	R20	3 oz.	4 oz.
255/50	R20	3 oz.	4 oz.
285/50	R20	3 oz.	4 oz.
305/50	R20	4 oz.	6 oz.
325/50	R20	4 oz.	6 oz.
355/50	R20	4 oz.	6 oz.
325/45	R20	4 oz.	6 oz.
275/40	R20	4 oz.	6 oz.
315/35	R20	4 oz.	6 oz.
325/55	R22	5 oz.	6 oz.
335/55	R22	5 oz.	6 oz.
325/50	R22	4 oz.	6 oz.
305/45	R22	4 oz.	6 oz.
305/40	R22	4 oz.	6 oz.
285/35	R22	3 oz.	5 oz.
325/45	R24	4 oz.	6 oz.

PrecisionBalance Balancing Compound is not recommended for passenger cars.

**NOTE: Light Truck Applications are for LT and ST type tires.**

# PrecisionBalance™ // Application Chart Per Tire / Medium Truck Tires

TIRE SIZE		SINGLE	DUAL
8	R19.5	10 oz.	10 oz.
9	R19.5	10 oz.	10 oz.
18	R19.5	16 oz.	16 oz.
280/75	R19.5	12 oz.	12 oz.
285/75	R19.5	12 oz.	12 oz.
225/70	R19.5	10 oz.	10 oz.
245/70	R19.5	10 oz.	10 oz.
265/70	R19.5	12 oz.	12 oz.
275/70	R19.5	12 oz.	12 oz.
285/70	R19.5	12 oz.	12 oz.
305/70	R19.5	14 oz.	14 oz.
385/65	R19.5	14 oz.	14 oz.
445/65	R19.5	16 oz.	16 oz.
7.5	R20	8 oz.	10 oz.
8.25	R20	8 oz.	10 oz.
9	R20	10 oz.	12 oz.
10	R20	10 oz.	12 oz.
11	R20	12 oz.	14 oz.
12	R20	12 oz.	14 oz.
12.5	R20	12 oz.	14 oz.
13/80	R20	12 oz.	14 oz.
14/80	R20	12 oz.	14 oz.
14	R20	16 oz.	16 oz.
365/80	R20	16 oz.	16 oz.
395/80	R20	16 oz.	16 oz.
525/65	R20.5	20 oz. (10oz. + 10oz.)	
615/65	R20.5	20 oz. (10oz. + 10oz.)	
10	R22	12 oz.	
11	R22	12 oz.	
9	R22.5	10 oz.	12 oz.
10	R22.5	10 oz.	12 oz.
11	R22.5	12 oz.	14 oz.
12	R22.5	12 oz.	14 oz.
13	R22.5	12 oz.	
15	R22.5	16 oz.	
16	R22.5	16 oz.	
16.5	R22.5	16 oz.	
18	R22.5	20 oz. (10oz. + 10oz.)	
235/80	R22.5	8 oz.	10 oz.
255/80	R22.5	10 oz.	12 oz.
275/80	R22.5	12 oz.	14 oz.
295/80	R22.5	14 oz.	16 oz.
315/80	R22.5	16 oz.	
365/80	R22.5	16 oz.	
245/75	R22.5	10 oz.	12 oz.
265/75	R22.5	12 oz.	14 oz.
285/75	R22.5	12 oz.	14 oz.
295/75	R22.5	12 oz.	14 oz.
315/75	R22.5	14 oz.	16 oz.
345/75	R22.5	14 oz.	16 oz.
350/75	R22.5	14 oz.	16 oz.
235/70	R22.5	8 oz.	10 oz.
255/70	R22.5	10 oz.	12 oz.
11/70R	R22.5	10 oz.	12 oz.
265/70	R22.5	10 oz.	12 oz.
275/70	R22.5	10 oz.	12 oz.
305/70	R22.5	10 oz.	12 oz.
315/70	R22.5	10 oz.	12 oz.
365/70	R22.5	14 oz.	16 oz.
365/65	R22.5	14 oz.	16 oz.
385/65	R22.5	14 oz.	16 oz.
425/65	R22.5	16 oz.	16 oz.
445/65	R22.5	20 oz. (10oz. + 10oz.)	
285/60	R22.5	12 oz.	14 oz.
295/60	R22.5	12 oz.	14 oz.
305/60	R22.5	12 oz.	14 oz.
315/60	R22.5	12 oz.	14 oz.
385/55	R22.5	12 oz.	
455/55	R22.5	16 oz.	
275/50	R22.5	10 oz.	12 oz.
445/50	R22.5	20 oz. (10oz. + 10oz.)	
11	R24	14 oz.	
12	R24	14 oz.	
14	R24	16 oz.	
445/70	R24	16 oz.	
495/70	R24	16 oz.	
11	R24.5	12 oz.	14 oz.
12	R24.5	16 oz.	16 oz.
285/75	R24.5	12 oz.	14 oz.
305/75	R24.5	12 oz.	14 oz.
315/75	R24.5	12 oz.	14 oz.
275/80	R24.5	12 oz.	14 oz.
295/80	R24.5	12 oz.	14 oz.

To achieve maximum results it is important to use the proper package size for each tire. If you are using our throw in bags, open & discard the outer bag and only throw in the clear inner bag containing **PrecisionBalance** directly inside the tire cavity. If you are not using the injector pump, and simply pouring the contents of the bag directly into the tire; it is imperative that none of the content of the bag end up on the bead seating area of the tire and rim. REMA TIP TOP disclaims any responsibility for air loss or tire damage due to improper installation or air check. In order to reduce the possibility of valve leaks, the use of a **PrecisionBalance** valve core and a **PrecisionBalance** valve cap is recommended and included in every bag of **PrecisionBalance**. **PrecisionBalance** is TPMS compatible.



Download the **PrecisionBalance** App for the **PrecisionBalance** application chart.

Alternatively search for "REMA Precision Balance" on App Store or Google Play.



REMA TIP TOP/North America, Inc.

300 Tice Boulevard, Suite 250 · Woodcliff Lake, NJ 07677 · Phone 800.225.REMA (7362) · 201.768.8100 → [www.rematiptop.com](http://www.rematiptop.com)



// ONE BRAND // ONE SOURCE // ONE SYSTEM

# PrecisionBalance™ Application Chart Per Tire / Mudder-Off Road Tires

MUDDER/OFF ROAD TIRES TIRE SIZE	Wheel	All Terrain	Mud Terrain
14/17R15	15	12	14
26/16.50R15	15	12	14
27/9.5R15	15	6	6
29/10.5R15	15	6	6
29/11.5R15	15	6	6
29/8.5R15	15	6	6
29/9.50R15	15	6	6
30/10.5R15	15	6	6
30/11.5R15	15	6	8
30/9.50R15	15	6	8
31/10.50R15	15	6	8
31/11.50R15	15	8	10
31/11R15	15	8	10
31/12.50R15	15	6	8
31/13.5R15	15	8	8
31/14.50R15	15	8	10
31/9.5R15	15	6	8
32/10.5/15	15	8	10
32/11.50R15	15	8	10
32/12.50R15	15	8	10
32/9.5R15	15	8	10
33/10.50R15	15	8	10
33/11.50R15	15	8	10
33/12.50R15	15	8	10
33/13.5R15	15	8	10
33/14.50R15	15	10	12
33/14R15	15	10	12
33/15.5R15	15	10	12
33/16.50R15	15	10	12
33/9.50R15	15	8	10
34/12.5R15	15	8	10
34/9.5R15	15	8	10
35/10.5R15	15	8	10
35/12.50R15	15	8	10
35/13.50R15	15	10	12
35/14.5R15	15	10	12
35/15.5R15	15	10	12
35/15R15	15	10	12
35/16R15	15	10	12
36/12.50R15	15	10	12
36/13.50R15	15	10	12
36/14.40R15	15	12	14
36/15.5R15	15	12	14
36/16.50R15	15	12	14

MUDDER/OFF ROAD TIRES TIRE SIZE	Wheel	All Terrain	Mud Terrain
37/12.50R15	15	10	12
37/13R15	15	10	12
37/14.5R15	15	12	14
37/14R15	15	12	14
38.5/11R15	15	10	12
38.5/14.5R15	15	12	14
38.5/15.5R15	15	12	14
38.5/15R15	15	12	14
38.5/16.5R15	15	12	14
38.5/16R15	15	12	14
38/12.5R15	15	10	12
38/15.5R15	15	12	14
39.5/13.5R15	15	12	14
39.5/15R15	15	12	14
39.5/18R15	15	12	14
39/15R15	15	12	14
40/16R15	15	12	14
40/17R15	15	12	14
40/17R15	15	12	14
42/14R15	15	12	14
42/15R15	15	12	14
44/18.50R15	15	14	16
44/19.5R15	15	14	16
44/21R15	15	14	16
46/19.5R15	15	14	16
Q78	15	12	14
255/85R16	16	8	10
30/11.5R16	16	6	8
31/11.5R16	16	8	10
31/11R16	16	8	10
31/12.50R16	16	8	10
32/10R16	16	8	10
32/11.5R16	16	8	10
32/12.50R16	16	8	10
32/9.50R16	16	8	10
32/9R16	16	8	10
33/10.5R16	16	8	10
33/11.5R16	16	8	10
33/12.50R16	16	8	10
33/12R16	16	8	10
33/13.5R16	16	8	10
33/13R16	16	8	10
33/14.50R16	16	10	12
33/14R16	16	10	12

MUDDER/OFF ROAD TIRES TIRE SIZE	Wheel	All Terrain	Mud Terrain
34/10.5R16	16	8	10
34/12.50R16	16	10	12
34/9R16	16	6	8
35/10.50R16	16	8	10
35/12.50R16	16	12	14
35/14.50R16	16	12	14
35/16R16	16	12	14
36/12.50R16	16	12	14
36/13.5R16	16	12	14
36/13R16	16	12	14
36/14.50R16	16	12	14
36/14R16	16	12	14
37/12.50R16	16	12	14
37/13R16	16	12	14
37/14R16	16	12	14
38.5/11R16	16	10	12
38.5/14.5R16	16	12	14
38.5/15R16	16	12	14
38/13R16	16	12	14
38/14.5R16	16	12	14
38/15.50R16	16	12	14
39.5/13.5R16	16	12	14
39.5/15R16	16	12	14
40x14.5R16	16	14	16
41/14.5R16	16	14	16
42/14R16	16	14	16
42/15R16	16	14	16
44/19.5R16	16	14	16
44/21R16	16	14	20
46/19.5R16	16	14	20
31/10.50R16.5	16.5	6	8
325/80R16.5	16.5	8	10
33/11.5R16.5	16.5	8	10
33/12.50R16.5	16.5	10	12
33/14.50R16.5	16.5	10	12
33/14R16.5	16.5	10	12
33/15.50R16.5	16.5	10	12
33/16.50R16.5	16.5	10	12
34/9.50R16.5	16.5	8	10
35/12.50R16.5	16.5	10	12
35/14.50R16.5	16.5	10	12
35/15.5R16.5	16.5	10	12
35/15R16.5	16.5	12	14
35/16R16.5	16.5	10	12

# PrecisionBalance™ // Application Chart Per Tire / Mudder-Off Road Tires

MUDDER/OFF ROAD TIRES	Wheel	All Terrain	Mud Terrain	MUDDER/OFF ROAD TIRES	Wheel	All Terrain	Mud Terrain	MUDDER/OFF ROAD TIRES	Wheel	All Terrain	Mud Terrain
TIRE SIZE				TIRE SIZE				TIRE SIZE			
36/12.50R16.5	16.5	10	12	38.5/14.50R17	17	12	14	42/14R20	20	14	16
36/13.5R16.5	16.5	10	12	38/15.50R17	17	12	14	42/15R20	20	14	16
36/14.50R16.5	16.5	12	14	39.5/13.5R17	17	12	14	44/21R20	20	16	20
36/16.50R16.5	16.5	12	14	39.5/15R17	17	12	14	49/21R20	20	16	20
37/12.50R16.5	16.5	12	14	40/13.50R17	17	14	16	33/12.5R22	22	10	12
37/13R16.5	16.5	10	12	41/14.5R17	17	14	16	35/12.50R22	22	12	14
37/14R16.5	16.5	12	14	42/14R17	17	14	16	35/12.5R22	22	12	14
38.5/11R16.5	16.5	10	12	42/15R17	17	14	16	35/14.5R22	22	14	16
38.5/14.5R16.5	16.5	12	14	44/21R17	17	16	20	37/12.5R22	22	14	16
38.5/15R16.5	16.5	12	14	49/21R17	17	16	20	37/13.5R22	22	14	16
38.5/16R16.5	16.5	12	14	33/12.50R18	18	10	12	38/13.5R22	22	14	16
38/12.50R16.5	16.5	10	12	33/13.5R18	18	10	12	38/15.5R22	22	14	16
38/15.50R16.5	16.5	12	14	34/12.5R18	18	10	12	40/14.5R22	22	14	16
39.5/13.5R16.5	16.5	12	14	35/12.50R18	18	12	14	40/15.5R22	22	14	16
39.5/15R16.5	16.5	12	14	35/14.5R18	18	10	12	41/14.5R22	22	14	16
39.5/18R16.5	16.5	14	16	36/12.5R18	18	10	12	35/13.5R24	24	14	16
39.5/18R16.5	16.5	14	16	37/12.50R18	18	12	14	37/13.5R24	24	14	16
40/15.50B16.5	16.5	14	16	37/13.5R18	18	12	14	38/13.5R24	24	14	16
40/17B16.5	16.5	14	16	38.5/14.50R18	18	12	14	38/14R24	24	14	16
42/14R16.5	16.5	14	16	38/14.50R18	18	12	14	40/14.5R24	24	14	16
42/15R16.5	16.5	14	16	38/15.50R18	18	12	14	40/15.5R24	24	14	16
44/18.50B16.5	16.5	16	20	40/14.5R18	18	14	16	40/15.5R26	26	14	16
44/19.5R16.5	16.5	16	20	41/14.5R18	18	14	16				
44/21R16.5	16.5	14	20	33/12.50R20	20	10	12				
46/17R16.5	16.5	16	20	34/10.5R20	20	10	12				
46/19.5R16.6	16.5	16	20	35/12.50R20	20	12	14				
47/17R16.5	16.5	16	20	35/14.5R20	20	12	14				
47/19.5R16.5	16.5	16	20	36/13.5R20	20	12	14				
49/21R16.5	16.5	16	20	37/12.50R20	20	12	14				
33/12.50R17	17	10	12	37/13.5R20	20	12	14				
33/13.5R17	17	10	12	38.5/14.50R20	20	12	14				
34/10.5R17	17	12	14	38/13.5R20	20	12	14				
35/12.50R17	17	12	14	38/15.50R20	20	12	14				
35/14.5R17	17	12	14	39.5/13.5R20	20	12	14				
36/13.5R17	17	12	14	39.5/15R20	20	12	14				
37/12.50R17	17	12	14	40/14.5R20	20	14	16				
37/13.50R17	17	12	14	40/15.5R20	20	14	16				
37/13R17	17	12	14	41/14.5R20	20	14	16				



Alternatively search for "REMA Precision Balance" on App Store or Google Play.

Download the PrecisionBalance App for the PrecisionBalance application chart.



**Mudder/Off Road Tires with Aggressive Tread Require 2 oz. of Additional Product.**

To achieve maximum results it is important to use the proper package size for each tire. If you are using our throw in bags, open & discard the outer bag and only throw in the clear inner bag containing PrecisionBalance directly inside the tire cavity. If you are not using the injector pump, and simply pouring the contents of the bag directly into the tire; it is imperative that none of the content of the bag end up on the bead seating area of the tire and rim. REMA TIP TOP disclaims any responsibility for air loss or tire damage due to improper installation or air check. In order to reduce the possibility of valve leaks, the use of a PrecisionBalance valve core and a PrecisionBalance valve cap is recommended and included in every bag of PrecisionBalance. PrecisionBalance is TPMS compatible.



// ONE BRAND // ONE SOURCE // ONE SYSTEM

## PrecisionBalance™ Application Chart Per Tire / Trailer Tires

Wheel Diameter	Tire Size	Trailer Tires	Wheel Diameter	Tire Size	Trailer Tires
8"	4.80/ 4.00 R8	3	16"	215/85 R16	4
	5.70 R8	3		235/80 R16	4
	165/65 R8	3		235/85 R16	4
	215/60 R8	3		7.50 R16	6
9"	6.90/6.00 R9	3	16.5"	12.00 R16.5	8
10"	205/65 R10	3	17.5"	215/75 R17.5	8
12"	4.80 R12	3		235/75 R17.5	8
	5.30 R12	3		245/70 R17.5	8
	145/80 R12	3	19.5"	225/70 R19.5	10
13"	175/80 R13	4		245/70 R19.5	10
	185/80 R13	4		265/70 R19.5	12
14"	205/75 R14	4	22.5"	255/70 R22.5	12
	215/75 R14	4		295/ 75 R22.5	12
14.5"	9.00 R14.5	8		11 R22.5	12
15"	205/75 R15	4			
	215/75 R15	4			
	225/75 R15	4			
	7.00 R15	6			

To achieve maximum results it is important to use the proper package size for each tire. If you are using our throw in bags, open & discard the outer bag and only throw in the clear inner bag containing **PrecisionBalance** directly inside the tire cavity. If you are not using the injector pump, and simply pouring the contents of the bag directly into the tire; it is imperative that none of the content of the bag end up on the bead seating area of the tire and rim. REMA TIP TOP disclaims any responsibility for air loss or tire damage due to improper installation or air check. In order to reduce the possibility of valve leaks, the use of a **PrecisionBalance** valve core and a **PrecisionBalance** valve cap is recommended and included in every bag of **PrecisionBalance**. **PrecisionBalance** is TPMS compatible.

REMA TIP TOP/North America, Inc.

300 Tice Boulevard, Suite 250 · Woodcliff Lake, NJ 07677 · Phone 800.225.REMA (7362) · 201.768.8100 → [www.rematiptop.com](http://www.rematiptop.com)



// ONE BRAND // ONE SOURCE // ONE SYSTEM

## REMA TIP TOP - Tire Repair Materials

---

### TUBE REPAIR MATERIALS

---

- Tube Repair Vulcanizing Patches
- Cold Vulcanizing Fluid
- Specialty Tube Repair Valves and Hardware
- Tube Repair Kits

### TIRE REPAIR MATERIALS

---

- Radial Repair Units
- Bias Repair Units
- Plug Stem Repair
- UNIVERSAL Repair Units

### OTR RETREAD PRODUCTS

---

- OTR Retread Radial Repair Units
- OTR Retread Bias Repair Units
- OTR Retread Cements
- Extruder Guns
- OTR Retread Cushion Gums & Repair Cords
- OTR Retread Rope Rubber
- OTR Retread Precure Cushion Gum

### RETREAD & SPECIALTY RUBBER PRODUCTS

---

- Cushion Gum
- Rope Rubber
- Vulcanizing Compounds
- Retread Rubber Products - Specialty Chemicals

### TEMPORARY REPAIR PRODUCTS

---

- Emergency Repairs
- Inserting Tools

### CHEMICAL PRODUCTS

---

- Cements
- Pre-Buff Cleaners
- Bead Sealer/Innerliner Sealer
- Specialty Chemical Products

### TIRE MOUNTING LUBRICANTS

---

- Universal Mounting Paste
- Liquid Mounting Lubricants
- Mounting Compounds
- Tire Mounting Lubricant Brackets, Brushes, Swabs

### EQUIPMENT

---

- Tire Spreaders
- Extruders
- Regroover
- Thermopress II
- Thermopress EM
- Replacement Parts
- VULCSTAR Vulcanizing Machine and Accessories
- Bead Seaters
- EXPEL 30 Filter & Auto Drain Set

### TIRE SERVICE CABINETS AND KITS

---

- Tire Service Cabinets and Kits

### SHOP SUPPLIES

---

- Tire Repair Hand Tools
- Buffing Tools
- Cutting Tools
- Markers and Crayons
- Gloves
- Hand Cleaners
- Tire Talc
- Wheel Service Tools

### AIR PRODUCTS

---

- Air Chucks
- Air Hoses
- Air Vacuum
- Air Compressor Accessories
- Gauges
- Couplers and Nipples

### TIRE VALVES & HARDWARE

---

- Snap-In Valves
- Clamp-In Valves
- Specialty Valves
- Valve Accessories

### TIRE BALANCING PRODUCTS

---

- PrecisionBalance Balancing Compound
- Wheel Weights Tools

### TPMS

---

- TPMS Valve Rebuild Kits
- TPMS Tools & Kits
- TPMS Sensors and Replacement Valves
- TPMS Valve Caps