



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

---

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Tip Top Chemokitt V Primer B

**Chemical Family:** Halogenated & Aromatic Hydrocarbons

**Product Use:** Primer

**Restrictions on Use:** Use as directed by manufacturer

**Manufacturer:** Rema Tip Top - North America  
119 Rockland Ave.  
Northvale, NJ 07647  
Phone: 201 256-8200

**24-Hour Emergency Phone Number:** North America: 800-424-9300 (CHEMTREC)  
International: 703-527-3887 (CHEMTREC) Collect Calls Accepted

## 2. HAZARD IDENTIFICATION

### GHS Classifications

#### **Health Hazards**

Acute Toxicity, Oral, Category 4\*

Skin Irritation, Category 2

Eye Irritation, Category 2A

Germ Cell Mutagenicity, Category 2

Carcinogenicity, Category 2

Reproductive Toxicity, Category 2

Specific Target Organ Systemic Toxicity, Single Exposure, Category 3, Central Nervous System [Inhalation]

Specific Target Organ Systemic Toxicity, Repeated Exposure, Category 2, Central Nervous System, Blood, Heart, Kidney, Liver, Pancreas, Respiratory Tract [Inhalation, Skin absorption, Ingestion]

Aspiration Hazard, Category 2

#### **Environmental Hazards**

Acute Aquatic Toxicity, Category 2

#### **GHS-Labeling**

**Pictograms:**



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014



**Signal Word: Warning!**

## Hazard Statements

H302: Harmful if swallowed  
H305: May be harmful if swallowed and enters airways  
H315: Causes skin irritation  
H319: Causes serious eye irritation  
H336: May cause drowsiness or dizziness  
H341: Suspected of causing genetic defects  
H351: Suspected of causing cancer  
H361: Suspected of damaging fertility or the unborn child  
H373: May cause damage to organs through prolonged or repeated exposure  
H401: Toxic to aquatic life

## Precautionary Statements

### Prevention:

P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P233: Keep container tightly closed.  
P260: Do not breathe vapours.  
P261: Avoid breathing vapours.  
P263: Avoid contact during pregnancy/while nursing.  
P264: Wash skin and exposed areas thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P281: Use personal protective equipment as required.

### Response:

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P302 + P352: IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 + P341: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313: IF exposed or concerned: Get medical advice/attention.  
P314: Get medical advice/attention if you feel unwell.  
P321: Specific treatment found in supplemental First Aid section of this SDS (Section 4).  
P332 + P313: If skin irritation occurs: Get medical advice/attention.



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

P337 + P313: If eye irritation persists: Get medical advice/attention.  
P362: Take off contaminated clothing and wash before reuse.

## Storage:

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up

## Disposal:

P501: Dispose of contents/container in accordance with local, regional, and federal regulations

\* < 5% of this product consists of components of unknown acute oral toxicity

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

#### Chemical characterization

Halogenated & Aromatic Hydrocarbons

Component*	CAS #	% By Wt.
Dichloromethane (Methylene chloride)	75-09-2	50 – 65
Styrene	100-42-5	20 – 30

\*The above listed components are OSHA hazardous materials which contribute to this products' GHS Hazard Categorization as prescribed in OSHA's Hazard Communication 29 CFR 1910.1200.

### 4. FIRST AID MEASURES

#### Inhalation

**Symptoms & Effects:** Nausea, nose and throat irritation, headache, respiratory tract irritation, breathing difficulties, allergy or asthma symptoms

**Measures:** Immediately remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing has stopped, begin artificial respiration. If breathing is difficult, administer oxygen. Seek immediate medical attention.

#### Skin Contact

**Symptoms & Effects:** Skin irritation, redness, allergic reactions, skin drying

**Measures:** Wash skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes while washing. Wash contaminated clothing before reuse. If skin irritation persists, seek medical attention.

#### Eye Contact

**Symptoms & Effects:** Eye irritation, stinging, tearing, redness, eye swelling



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

**Measures:** Immediately rinse eyes with water for at least 15 minutes. Remove contact lenses after the initial few minutes and if easy to do so and resume rinsing. Rinse beneath eyelids by holding eyelids apart with clean fingers while rinsing. Seek immediate medical attention.

## Ingestion

**Symptoms & Effects:** Stomach or intestinal irritation, nausea, vomiting, diarrhea, respiratory tract irritation

**Measures:** Seek immediate medical attention. Do NOT induce vomiting unless directed to do so by a physician or medical personnel. If the victim is drowsy or unconscious, do not give anything by mouth. Do not give milk. Place individual on their left side and place their head down. Do not leave victim unattended.

## 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media:** Alcohol-resistant foam, Carbon dioxide, Dry chemical, Water spray

**Unsuitable Extinguishing Media:** Water stream/jet

**Hazardous Combustion Products:** Hydrogen chloride gas, Chlorine, Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide, Carbon dioxide

**Protective Equipment for Fire-Fighters:** Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA).

**Precautions for Fire-Fighters:** Water stream may be ineffective for extinguishment unless used under favorable conditions. This product is volatile and readily gives off flammable vapors which may travel along the ground or be moved by ventilation. Do not allow run-off from firefighting to enter drains or water courses. Use water spray to cool fully closed containers. Avoid spreading burning liquid with water used for cooling purposes.

## 6. ACCIDENTAL RELEASE MEASURES

**Protective Equipment:** Recommended to wear NIOSH approved respiratory apparatus, chemical splash goggles & resistant gloves and discard of gloves that show tears, pinholes, or signs of wear. Wear proper garments to prevent skin exposure, such as long-sleeves and pants.

**Personal Precautions:** Persons not wearing proper PPE should be excluded from the area of contamination until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources and pay attention to the spreading of gases, especially at ground level.

**Environmental Precautions:** Do not allow discharge into drains, surface waters, or sanitary sewer system. Prevent spreading over a wide area by constructing a dike or using oil barriers. Local authorities should be advised if significant spillages cannot be contained or if material discharges into drains or ground water.



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

**Methods & Materials for Clean-Up:** Immediately evacuate the spilled area and provide maximum ventilation. Only personnel equipped with proper respiratory, eye, and skin protection should be permitted in the area. Contain spilled material with inert, non-combustible absorbent materials such as sand, earth, diatomaceous earth, or vermiculite. Transfer to a suitable container for disposal according to proper federal, state, and local regulations. Notify the proper response units and agencies for any uncontained releases or spills.

## 7. HANDLING AND STORAGE

**Handling:** Avoid breathing vapors or mists of this product. Avoid eye and skin contact with this material. Skin and eye PPE should be worn at all times when handling this product. When adequate ventilation is not provided, respiratory PPE should also be used. Hands and other exposed areas should be washed thoroughly with soap and water after contact, especially before eating and/or smoking. Do not eat, drink or smoke when using this product.

**Storage:** Store in a cool, dry, ventilated area, away from heat and ignition sources as well as from incompatible materials (see below). Keep container tightly closed and store locked up. Keep away from food, drink, and animal foodstuffs.

**Incompatible Materials:** Water, Alkaline metals, Amines, Alcohols, Strong acids, Strong bases, Strong oxidizing agents, Aluminum, Magnesium, Vinyl compounds

## 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### Exposure Limits :

Exposure limits have not been established for this product.

#### Dichloromethane CAS # 75-09-2

OSHA	Permissible Exposure Limit (PEL)	25 ppm
ACGIH	Time Weighted Average (TWA)	50 ppm

#### Styrene CAS # 100-42-5

OSHA	Permissible Exposure Limit (PEL)	100 ppm (425 mg/m <sup>3</sup> )
ACGIH	Time weighted average (TWA)	20 ppm
NIOSH	Recommended exposure limit (REL)	50 ppm (215 mg/m <sup>3</sup> )

**Engineering Controls:** Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposures below permissible exposure limits. Provide readily accessible eye wash stations and safety showers.

**Occupational Exposure Controls:** Ensure adequate ventilation, especially in confined areas. Consider all potential hazards of this material, applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting PPE. Ensure that eyewash stations and safety



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

showers are proximal to the work location. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

**Protective and Hygiene measures:** Do not inhale vapors. Wash hands before breaks and immediately after handling product. When using, do not eat, drink, or smoke. In case of clothes contamination, remove and wash contaminated clothing before re-use.

**Eye Protection:** Recommended to wear tight fitting, chemical splash goggles when there is potential for the exposure of the eyes to the liquid, vapor or mist. Have a suitable eye wash station or bottle nearby in case of splashing into the eyes.

**Hand Protection:** Recommended to wear suitable resistant gloves and discard of gloves that show tears, pinholes, or signs of wear. Suitable gloves will be based on product use and the period of use, and may include neoprene, butyl-rubber, nitrile rubber, etc.

**Skin Protection:** Recommended to wear long-sleeved clothing, pants and proper foot covering in order to prevent direct skin contact with the product. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

**Respiratory Protection:** A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Yellow Liquid

**Odor:** Sweet

**Odor Threshold:** 200 – 300 ppm

**pH:** No data available

**Melting/Freezing point:** < -22°F (< -30°C)

**Boiling Point/ Range:** 112°F (50°C)

**Flash point (Tag closed cup):** No data available

**Evaporation rate:** < 1.0 n-Butyl Acetate

**Flammability: Lower Limit:** 1.1% (V) **Upper Limit:** 19.0% (V)

**Vapor pressure:** No data available

**Relative vapor density:** > 2 (Air = 1)

**Density:** 1.15 g/cm<sup>3</sup> (9.59 lbs/gal) @ 68°F (20°C)

**Solubility in water:** Insoluble; Reacts with water

**Partition coefficient (n-octanol/water):** No data available



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

**Auto-ignition temperature:** > 910°F (> 490°C)

**Ignition temperature:** No data available

**Decomposition temperature:** No data available

**Viscosity (dynamic):** No data available

## 10. STABILITY AND REACTIVITY

**Reactivity:** No decomposition if stored and applied as directed.

**Chemical Stability:** Stable under normal conditions.

**Possibility of Hazardous Reactions:** Product will not undergo hazardous polymerization or other hazardous reactions if storage and use directions are followed.

**Conditions to Avoid:** Exposure to water, Elevated temperatures, Incompatible materials (see below)

**Incompatible Materials:** Water, Alkaline metals, Amines, Alcohols, Strong acids, Strong bases, Strong oxidizing agents, Aluminum, Magnesium, Vinyl compounds

**Hazardous decomposition products:** Hydrogen chloride gas, Chlorine, Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide, Carbon dioxide

## 11. TOXICOLOGICAL INFORMATION

**Primary Routes of Exposure:** Inhalation, Skin contact, Eye contact, Ingestion

**Symptoms Related to Physical, Chemical and Toxicological Characteristics:** Nausea, nose and throat irritation, headache, respiratory tract irritation, breathing difficulties, allergy or asthma symptoms, skin irritation, skin redness, allergic reactions, skin drying, eye irritation, stinging, tearing, eye redness, eye swelling, stomach or intestinal irritation, vomiting, diarrhea

**Delayed and Immediate Effects & Chronic Effects from Exposure:** This substance may result in genetic defects or reproductive harm with repeated exposure based on limited studies. With repeated exposure, the substance may have toxic effects on the central nervous system, blood, heart, kidneys, liver, pancreas, and respiratory tract. This substance is a suspected carcinogen as outlined by OSHA, IARC, and the NTP (see below).

### Measures of Toxicity:

Acute toxicities are calculated based on component toxicities

Mixture: Acute Oral Toxicity: LD<sub>50</sub> Rat: > 1,800 mg/kg

Acute Dermal Toxicity: No sufficient data available

Acute Inhalation Toxicity: LC<sub>50</sub> Rat: > 37 mg/l





# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

**Dichloromethane** CAS # 75-09-2  
Acute Oral Toxicity LD<sub>50</sub> Rat: 1,600 mg/kg  
Acute Inhalation Toxicity LC<sub>50</sub> Rat: 52,000 mg/m<sup>3</sup>

**Styrene** CAS # 100-42-5  
Acute Oral Toxicity LD<sub>50</sub> Rat: 2,650 mg/kg  
Acute Inhalation Toxicity LC<sub>50</sub> Rat: 2,800 ppmV

## Carcinogen Claims:

OSHA: Yes; 2

International Agency for Research on Cancer (IARC): Yes; 2B [Possibly Carcinogenic to Humans]

ACGIH: No; A3 [Animal Carcinogen, not likely in Humans]

National Toxicology Program (NTP) Report on Carcinogens: Yes; II [Reasonably Anticipated Carcinogen]

## 12. ECOLOGICAL INFORMATION

**Eco-toxicity:** This substance is toxic to aquatic organisms. It is strongly advised that this substance does not enter the environment. Local authorities should be advised if significant spillages cannot be contained or if material discharges into drains or ground water.

**Dichloromethane** CAS # 75-09-2  
Toxicity to Fish LC<sub>50</sub> – 193 mg/l (Fathead Minnow; 96 h)  
Toxicity to Daphnia EC<sub>50</sub> – 1,682 mg/l (Water Flea; 48 h)

**Styrene** CAS # 100-42-5  
Toxicity to Fish LC<sub>50</sub> – 4.08 mg/l (Fathead Minnow; 96 h)  
LC<sub>50</sub> – 17 mg/l (Golden Orfe; 48 h)  
Toxicity to Daphnia EC<sub>50</sub> – 4.7 mg/l (Water flea; 48 h)

**Persistence & Degradability:** No data available

**Bio-accumulative Potential:** No data available

**Mobility in Soil:** No data available

**Other Adverse Effects:** No data available

## 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with Federal, State or Local regulations.  
Contaminated packaging should be emptied as far as possible before disposal.

**RCRA Waste Numbers: Dichloromethane:** U080





# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

## 14. TRANSPORT INFORMATION

### DOT SHIPPING CLASSIFICATION:

UN NUMBER: UN1593  
PROPER SHIPPING NAME: Dichloromethane, mixture  
TRANSPORTATION HAZARD CLASS: 6.1  
PACKING GROUP: III  
HAZARD LABEL: 6.1

### IMDG (Marine) SHIPPING CLASSIFICATION:

IMDG CODE: 6.1  
UN NUMBER: UN1593  
MARINE POLLUTANT: No  
EmS: F-A, S-A  
IMDG PACKING GROUP: III  
HAZARD LABEL: 6.1

### Description of the goods

DICHLOROMETHANE, mixture

### IATA (Air) SHIPPING CLASSIFICATION:

ICAO/IATA-DGR: 6.1  
UN NUMBER: UN1593  
HAZARD LABEL: 6.1

### Description of the goods

Dichloromethane, mixture

## 15. REGULATORY INFORMATION

All components of this product conform to the following national inventory requirements. US TSCA, EU EINECS and Canada DSL

### SARA Title III

#### Section 302 – Extremely Hazardous Chemicals

The following ingredients are subject to the supplier notification requirements of Section 302 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37

*None Listed*

#### Section 313 – Toxic Chemicals

The following ingredients are subject to the supplier notification requirements of Section 313 of the Superfund Amendments and Reauthorization Act (SARA/EPCRA) and the requirements of 40 CFR Part 37

Component	CAS #	Weight %	CERCLA RQ
Dichloromethane	75-09-2	50 – 65	1,000
Styrene	100-42-5	20 – 30	1,000



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

---

## OTHER FEDERAL REGULATIONS

Components of this product are subject to RCRA Hazardous Waste requirements, Clean Air Act (CAA) Hazardous Air Pollutants requirements and OSHA Process Safety Management (PSM) high hazard requirements.

## CANADIAN REGULATIONS

WHMIS Classification: D1B, D2A, D2B (Based on components)

## STATE REGULATIONS

California Proposition 65

**WARNING!** This product contains chemicals known to the state of California to cause cancer.

The components of this product may be included on the various state hazardous materials lists noted below.

California Hazardous Substances List  
Delaware Air Quality Management List  
Idaho Air Pollutants List  
Illinois Toxic Air Contaminants List  
Maine Hazardous Air Pollutants List  
Massachusetts Hazardous Substances List  
Michigan Critical Materials List  
Minnesota Hazardous Substances List  
New Jersey RTK Hazardous Substances List  
New Jersey TCPA Extremely Hazardous Substances List  
New York List of Hazardous Substances  
North Carolina Toxic Air Contaminants List  
Pennsylvania Hazardous Substances List  
Washington Permissible Exposure Air Contaminants List  
West Virginia Air Toxic Pollutants List  
Wisconsin Hazardous Air Contaminants List

**Note:** Entries under Section 15 are not intended to be all inclusive of Federal and State laws and regulations. Please consult the appropriate agencies for further clarification of any requirements.



# Safety Data Sheet

REMA TIP TOP

Product #: 5252932

SDS #: RTT-IND-030

Rev. # 4

Rev. Date: 3/18/2014

## 16. OTHER INFORMATION

This SDS conforms to the OSHA Hazard Communication Standard 1910.1200 published in the Federal Register March 26, 2012

### **MEDICAL EMERGENCIES:**

Call CHEMTREC 24 hours a  
Day for emergency information  
800-424-9300

### **FOR ANY OTHER INFORMATION:**

REMA TIP TOP - NORTH AMERICA  
119 Rockland Ave.  
NORTHVALE, NJ 07647  
201-256-8200

**NOTICE:** REMA TIP TOP NORTH AMERICA believes that the information contained on this safety data sheet is accurate. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive, nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of, applicable laws, regulations, rules or insurance requirements.

**NO WARRANTY IS MADE, EXPRESSED OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.**

Date of Issue/Revision: March 18, 2014