



Technical Data Sheet

REMASOL RUBBER SOLVENT

TDS #: RTTNA – 031

Rev. # 1

Rev. Date: 1/9/2014

PRODUCT NUMBERS: 16 RS 5G, and 16 RS D

CONTAINERS/PACKAGING: 16 RS 5G - 5 Gallon Pail
16 RBB D – 54 Gallon Drum

FIELD OF APPLICATION: RemaSol Rubber Solvent is ideal for removing contaminants from rubber surfaces and preparation of tire injuries for repair. It can be applied with swabs and/or clean cloths.

PRODUCT ADVANTAGES: Totally compatible with the Remabond Cements, both Brush and Spray types.
Fast drying.
Contains no carcinogens or ozone depleting chemicals.

PHYSICAL PROPERTIES: Flash Point = 16° F (-9° C) Tag Closed Cup
Density = 5.8 Lbs./Gallon (Typical)
Boiling Point = 190° F (88° C)
Solubility in Water = Negligible
Flammability: LEL = 1.2% Volume UEL = 6.7% Volume
VOC Content = 5.8 Lbs./Gallon (Typical)

INSTRUCTIONS FOR USE: Apply with a swab or clean cloth to area to be cleaned.
Use protective (chemical resistant) gloves to avoid contact with skin.

SAFETY INSTRUCTIONS: DANGER: Extremely Flammable!
Use only in a well-ventilated area.
Keep away from flame, sparks, and other ignition sources.
Avoid contact with skin and breathing vapors.
See Safety Data Sheets for more detailed hazards and prevention measures.



Technical Data Sheet

REMASOL RUBBER SOLVENT

TDS #: RTTNA – 031

Rev. # 1

Rev. Date: 1/9/2014

SHELF LIFE: 1 Year from Date of Manufacture in unopened original container.

BASE SOLVENT: Heptane (CAS# 142-82-5)

RECOMMENDED STORAGE

CONDITIONS: Store in a cool, well-ventilated, dry environment.
Keep away from open flames and other ignition sources.
Keep container tightly closed.
Keep away from food, drink, and animal foodstuffs.

NOTICE: REMA TIP TOP / NORTH AMERICA believes that the information contained on this data sheet is accurate. It is based on extensive tests and represents standard values. However, it may not contain information on all confirmed properties. REMA TIP TOP / North America reserves the right to carry out improvements and technical development to this product at its discretion. For detailed application instructions, always refer to the appropriate Rema Tip Top Instruction Manuals and/or Repair Instruction CD's. The suggested procedures are based on experience as of the date of publication. They are not necessarily all-inclusive, nor fully adequate in every circumstance. Also, the suggestions should not be confused with nor followed in violation of applicable laws, regulations, rules or insurance requirements.

NO WARRANTY IS MADE, EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.